

January 1, 2021 to December 31 2021

Calgal y	Bearspaw Treated Water (Entering the Distribution System)			Maximum Acceptable Concentration or		
PARAMETER	UNITS	Minimum Maximum Average		Guideline ¹	Common Source	
Alkalinity, Total	mg/L as CaCO ₃	87	144	118	No Guidelines	Erosion of natural deposits in watershed.
Aluminum	mg/L	0.030	0.121	0.069	0.100 (O) (Annual Average)	Water treatment process
Ammonia	mg/L as N		<0.05		No Guidelines	Naturally occurring; released from agricultural or industrial wastes.
Antimony	mg/L		<0.0005		0.006	Erosion of natural deposits in watershed
Arsenic	mg/L		<0.0005		0.010	Erosion of natural deposits in watershed
Atrazine + metabolites	mg/L		<0.001		0.005	Leaching and/or runoff from agricultural or rural use
Azinphos - methyl	mg/L		<0.001		0.02	Leaching and/or runoff from agricultural or rural use
Barium	mg/L	0.025	0.041	0.033	2.0	Erosion of natural deposits in watershed
Benzene	mg/L		<0.0005		0.005	Releases or spills from industrial use
Benzo[a]pyrene	mg/L		<0.000005		0.00004	Distribution System materials
Beryllium	mg/L		<0.0005		No Guidelines	Contamination from ceramic applications and manufacturing of aerospace, electronics and mechanical industries
Bicarbonate	mg/L as CaCO ₃	87	144	117	No Guidelines	Erosion of natural deposits in watershed
Boron	mg/L	<0.002	0.006	0.004	5	Naturally occurring; leaching or runoff from industrial use
Bromate	mg/L		<0.0095		0.01	Possible contamination in hypochlorite solution
Bromoxynil	mg/L		<0.0001		0.005	Leaching and/or runoff from agricultural or rural use
Cadmium	mg/L		<0.0005		0.007	Erosion of natural deposits in watershed
Calcium	mg/L	33	45	43	No Guidelines	Erosion of natural deposits in watershed
Carbaryl	mg/L		<0.002		0.09	Leaching and/or runoff from agricultural or rural use
Carbofuran	mg/L		<0.0005		0.09	Leaching and/or runoff from agricultural or rural use
Carbonate	mg/L as CaCO ₃		<20		No Guidelines	Erosion of natural deposits in watershed
Carbon Tetrachloride	mg/L		<0.0005		0.002	Industrial effluents and leaching from hazardous waste sites
Chloramines, Total	mg/L		<0.09 <0.050		No Guidelines	Formed in the presence of both chlorine and ammonia
Chlorate v-Chlordane	mg/L		<0.0001			Possible contamination in hypochlorite solution
Chloride	mg/L	3.9		1.6	No Guidelines	Leaching and/or runoff from agricultural or rural use
Chlorine, free	mg/L mg/L	0.86	5.4 1.34	4.6 1.10	250 (A) No Guidelines	Naturally occurring, dissolved salt deposits, highway salt Water treatment process
Chlorite	mg/L	0.80	<0.050	1.10	1	Possible contamination in hypochlorite solution, water treatment
Chlorpyrifos	mg/L		<0.001		0.09	Leaching and/or runoff from agricultural or rural use
Chromium	mg/L		<0.0005		0.05	Erosion of natural deposits in watershed
Cobalt	mg/L		<0.0005		No Guidelines	Erosion of natural deposits in watershed.
Coliforms, E.coli	MPN/100mL		<1		0	Domestic animals, wildlife and human waste.
Coliforms, Total	MPN/100mL		<1		0	Soil, domestic animals and wildlife.
Color	TCU		<2.0		15 (A)	Erosion of natural deposits in watershed.
Conductivity at 25°C	uS/cm	266	380	333	No Guidelines	Leaching and/or runoff from agricultural or rural use
Copper	mg/L	<0.0005	0.0006	<0.0005	2 1 (A)	Erosion of natural deposits in watershed.
Cryptosporidium	oocysts/100L		Not Tested		No Guideline Raw Water	Domestic animals, wildlife and human waste.
Cryptosporidium,	no units	1.00	1.33	1.32	Treatment Goal >=1	Domestic animals, wildlife and human waste.
Min. Log Reduction Ratio ³ Cyanazine	no units mg/L		<0.001		No Guidelines	Leaching and/or runoff from agricultural or rural use
Cyanide		<0.0020		0.2	Industrial and mining effluents; Release from organic compounds.	
Cyanobacterial toxins – total	mg/L mg/L	<0.0002		0.0015	-	
microcystin					Naturally occurring; released from blooms of blue-green algae	
Diazinon	mg/L	<0.001		0.02	Run off from agricultural or other uses.	
Dicamba	mg/L		<0.0002		0.11	Leaching and/or runoff from agricultural or rural use
1,2-Dichlorobenzene	mg/L	<0.0005			0.003(A)	Releases or spills from industrial use
1,4-Dichlorobenzene	mg/L	<0.0005			0.005 0.001(A)	Releases or spills from industrial use
2,4-DDT	mg/L		<0.0001		No Guidelines	Leaching and/or runoff from agricultural or rural use
4,4'-DDT	mg/L		<0.0001		No Guidelines	Leaching and/or runoff from agricultural or rural use
1,1-Dichloroethylene	mg/L		<0.0005		0.014	Releases or spills from industrial use
1,2-Dichloroethane	mg/L		<0.0005		0.005	Releases or spills from industrial use



January 1, 2021 to December 31 2021

Calgal y		Bearspaw Treated Water (Entering the Distribution System)			Maximum Acceptable Concentration or	
PARAMETER	UNITS	Minimum Maximum Average		Guideline ¹	Common Source	
Dichloromethane	mg/L		<0.0005		0.05	Industrial and municipal wastewater discharges
2,4-Dichlorophenol	mg/L		<0.0005		0.9 0.0003(A)	By-product of chlorination.
2,4-D	mg/L		<0.0001		0.1	Leaching and/or runoff from use as a weed controller
Diclofop-methyl	mg/L		<0.0001		0.009	Leaching and/or runoff from use as a weed controller
Dimethoate	mg/L		<0.001		0.02	Leaching and/or runoff from agricultural or rural use
Diquat	mg/L		<0.007		0.05	Leaching and/or runoff from agricultural or rural use
Diuron	mg/L		<0.00005		0.15	Leaching and/or runoff from use in controlling vegetation
Endrin	mg/L		<0.0001		No Guidelines	Leaching and/or runoff from agricultural or rural use
Ethylbenzene	mg/L		<0.0005		0.14 0.0016 (A)	Emissions, effluents or spills from petroleum and chemical industries
Extractable Hydrocarbons	mg/L		<0.01		No Guidelines	Releases or spills from industrial use
Fluoride	mg/L	0.06	0.14	0.09	1.5	Erosion of natural deposits in watershed. ²
Giardia	cysts/100L		Not Tested		No Guideline Raw Water	Domestic animals, wildlife and human waste.
Giardia Min Log Poduction Patio ³	-	1.12	3.81	2.09	Treatment Goal	Domestic animals, wildlife and human waste.
Giardia, Min. Log Reduction Ratio	no units				>=1	·
Glyphosate	mg/L		<0.005		0.28	Leaching and/or runoff from use as a weed controller.
Gross Alpha	Bq/L		<0.16		0.5	Naturally occurring; emissions from nuclear reactors
Gross Beta	Bq/L		<0.07		1.0	Naturally occurring; emissions from nuclear reactors
Haloacetic Acids, Total		0.0039	0.0196	0.0089	0.08	
	mg/L				(Annual Average)	By-product of chlorination.
Hardness	mg/L as CaCO ₃	127	199	165	No Guidelines	Erosion of natural deposits in watershed.
Heptachlor + heptachlor epoxide	mg/L		<0.0001		No Guidelines	Leaching and/or runoff from agricultural or rural use
Iron	mg/L		<0.010		0.3 (A)	Erosion of natural deposits in watershed.
Lead	mg/L	<0.0005			0.005	Leaching from plumbing (pipes, solders, brass fittings, and lead service lines)
Lindane	mg/L		<0.0001		No Guidelines	Leaching and/or runoff from agricultural or rural use
Lithium	mg/L	0.0020	0.0038	0.0030	No Guidelines	Releases or spills from industrial use
Magnesium	mg/L	10.6	17.2	14.0	No Guidelines	Erosion of natural deposits in watershed.
Malathion	mg/L		<0.001		0.19	Leaching and/or runoff from agricultural or rural use
Manganese	mg/L	<0.0005	0.0008	<0.0005	0.12 0.02 (A)	Erosion of natural deposits in watershed.
MCPA (2-methyl-4-			<0.00002			
chlorophenoxyacetic acid) MCPP (methylchlorophenoxy	mg/L			0.35	Leaching and/or runoff from agricultural and other uses	
propionic acid)	mg/L		<0.00005		0.015 (A)	Leaching and/or runoff from agricultural and other uses
Mercury	mg/L		<0.000019		0.001	Erosion of natural deposits in watershed
Methyl parathion	mg/L		<0.001		No Guidelines	Leaching and/or runoff from agricultural or rural use
Methoxychlor	mg/L		<0.0001		No Guidelines	Leaching and/or runoff from agricultural or rural use
Metolachlor	mg/L		<0.001		0.05	Leaching and/or runoff from agricultural and other uses
Metribuzin	mg/L		<0.001		0.08	Leaching and/or runoff from agricultural or rural use
Mirex	mg/L		<0.0001		No Guidelines	Leaching and/or runoff from agricultural or rural use
Molybdenum	mg/L	<0.0005	0.0009	0.0007	No Guidelines	Leaching and/or runoff from industrial, agricultural and other uses
Monochlorobenzene	mg/L		<0.0005		0.08 0.03(A)	Releases or spills from industrial effluents
MTBE (methyl tertiary-butyl		40 COOF			Spills from gasoline refineries, filling stations and gasoline powered	
ether)	mg/L	<0.0005		0.015 (A)	boats; seepage into groundwater from leaking storage tanks	
Nickel	mg/L	<0.0005	0.0007	<0.0005	No Guidelines	Leaching from plumbing (pipes, solders, and brass fittings)
Nitrate	mg/L as N	0.043	0.159	0.091	10	Erosion of natural deposits in watershed
Nitrite	mg/L as N	<0.005	0.006	<0.005	1	Erosion of natural deposits in watershed
Nitrilotriacetic acid (NTA)	mg/L	<0.2		0.4	Sewage contamination	
N-Nitrosodimethylamine (NDMA)	mg/L	<0.000021			0.00004	By-product of chlorination; industrial and sewage treatment plant
Nitrogen, total (TKN)	mg/L	<0.10	0.28	<0.10	No Guidelines	Erosion of natural deposits in watershed
Odour	Scale = 0-12	7.2	10.0	8.9	Inoffensive	Biological, industrial, or treatment disinfection sources
Paraquat	mg/L		<0.001		0.01	Leaching and/or runoff from agricultural and other uses
Parathion	mg/L	<0.001			0.05	Leaching and/or runoff from agricultural or rural use



Calgary (55)		Jan	uary 1, 2021 t	to December	31 2021	
Calgary (🏥		Bearspaw Treated Water (Entering the Distribution System)			Maximum Acceptable	
PARAMETER	UNITS	Minimum Maximum		Average	Concentration or Guideline ¹	Common Source
Pentachlorophenol	mg/L		<0.0001		0.06 0.03 (A)	By-product of chlorination
Perfluorooctane Sulfonate (PFOS)	mg/L		<0.00001		0.0006	Synthetic chemical used in consumer products and fire-fighting foams for their water and oil repellant properties.
Perfluorooactanoic Acid (PFOA)			<0.00001			Synthetic chemical used in consumer products and fire-fighting foams
Pesticides, total	mg/L mg/L		<0.01		0.0002 No Guidelines	for their water and oil repellant properties. Leaching and/or runoff from agricultural or rural use
pH	pH units	7.2	8.0	7.7		Influenced by the dissolved minerals in the water, temperature and
Phorate	mg/L		<0.0005		7.0 - 10.5 (O) 0.002	water treatment processes. Leaching and/or runoff from agricultural and other uses
Phosphorus, Total	mg/L	<0.001	0.011	0.002	No Guidelines	Leaching and/or runoff from agricultural and other uses
Phthalate Esters	mg/L		<0.01		No Guidelines	Industrial effluents or spills
Picloram	mg/L		<0.0002		0.19	Leaching and/or runoff from agricultural and other uses
Potassium	mg/L	0.4	0.6	0.5	No Guidelines	Erosion of natural deposits in watershed.
Polycyclic Aromatic						·
Hydrocarbons ³ (PAH)	mg/L		<0.0001		No Guidelines	Industrial sources
Trydrocarbons (FAIT)	1116/ L				No Guidelliles	Naturally occurring (erosion and weathering of rocks and soils) and
Selenium	mg/L	<0.0005	0.0007	<0.0005	0.05	release from coal ash from coal-fired power plants and mining, refining
oe.ea	6/ =	10.0005	0.0007	10.0003	0.03	of copper and other metals
Silicon, dissolved	mg/L	1.27	1.72	1.53	No Guidelines	Erosion of natural deposits in watershed.
Silver	mg/L		<0.001		No Guidelines	Naturally occurring (erosion and weathering of rocks and soils)
Simazine	mg/L		<0.001		0.01	Leaching and/or runoff from agricultural and other uses
Sodium	mg/L	3.4	5.1	4.4	200 (A)	Erosion of natural deposits in watershed.
Strontium	mg/L	0.122	0.208	0.171	7.0	Erosion of natural deposits in watershed.
Sulphate	mg/L	37	60	48	500 (A)	Erosion of natural deposits in watershed.
Sulphide	mg/L as H ₂ S		<0.0018	-10	0.05 (A)	Can occur in the distribution system from the reduction of sulphates by sulphate-reducing bacteria; industrial wastes
Taste	mg/L		Not Tested		Inoffensive (A)	Biological or industrial sources
Temperature	°C	1.5	17.8	8.3	15 (A)	Surface water temperature.
Terbufos	mg/L	1.5	<0.0005	0.5	0.001	Leaching and/or runoff from agricultural and other uses
Tetrachloroethylene	mg/L		<0.0005		0.01	Industrial effluents or spills
2,3,4,6-Tetrachlorophenol	_		<0.0005			·
Thallium	mg/L		<0.0005		0.1 No Guidelines	By-product of chlorination; industrial effluents and use of pesticides Erosion of natural deposits in watershed.
Tin	mg/L		<0.0005		No Guidelines	
Titanium	mg/L		<0.0005			Industrial effluents or spills
	mg/L				No Guidelines	Industrial effluents or spills
Toluene	ma/I		<0.0005		0.06	Emissions affluents or spills from notroloum and shaming industries
Total Dissolved Solids	mg/L	1.61	225	188	0.024(A) 500 (A)	Emissions, effluents or spills from petroleum and chemical industries Erosion of natural deposits in watershed.
	mg/L	161	225			
Total Organic Carbon	mg/L	0.5	1.4	0.6	No Guidelines	Erosion of natural deposits in watershed.
Triallate	mg/L		<0.001		No Guidelines	Leaching and/or runoff from agricultural and other uses
Trichloroethylene	mg/L		<0.0005		0.005	Industrial effluents and spills from improper disposals
2,4,6-Trichlorophenol	mg/L		<0.0005		0.005 0.002 (A)	By-product of chlorination; industrial effluents and spills
Trifluralin	mg/L		<0.001		0.045	Runoff from agricultural uses
Total Trihalomethanes ³						
(TTHMs)	mg/L	0.0041	0.0197	0.0092	0.1 (Annual Average)	By-product of chlorination.
Turbidity	NTU	<0.05	0.07	<0.05	1.0	Suspended particles in solution.
Uranium	mg/L	<0.0005	0.0006	<0.0005	0.02	Industrial effluents or spills
Vanadium	mg/L	<0.0005	0.0006	<0.0005	No Guideline	Naturally occurring (erosion and weathering of rocks and soils)
Vinyl Chloride	mg/L	<0.0005			0.002	Industrial effluents; degradation product from organic solvents in groundwater; leaching from polyvinyl chloride pipes
Virus, Min. Log Reduction Ratio ³	no units	1.5			Treatment Goal >=1	Domestic animals, wildlife and human waste.
2	no anno				0.09	
Xylenes, total ³	mg/L		< 0.001		0.02 (A)	Emissions, effluents or spills from petroleum and chemical industries



January 1, 2021 to December 31 2021

		Bearspaw Treated Water (Entering the Distribution System)			Acceptable Concentration or	
PARAMETER	UNITS	Minimum	Maximum	Average	Guideline ¹	Common Source
Zinc	mg/L	<0.003	0.004	<0.003	, , ,	Erosion of natural deposits in watershed. Leaching may occur from galvanized pipes, hot water tanks and brass fittings.

Legend

Maximum acceptable concentrations and guidelines as determined by Health Canada and the Alberta Environment and Parks license to operate.

Information hyperlinks

<u>Health Canada Guidelines for Canadian Drinking Water Quality, Summary Table</u> <u>Health Canada Water Quality - Reports and</u>

Alberta Environment & Parks

(O) Operating guidance as determined by Health Canada

(A) Aesthetic Objective as determined by Health Canada

(AEP) Alberta Environment and Parks provincial guidance

< Indicates not detected above the specified value

Bq/L = Becquerel per litre

mg/L = milligrams per litre, or parts per million (ppm)

MPN = Most-Probable Number

NTU = Nephelometric Turbidity Units

TCU = True Colour Units

Giardia/Cryptosporidium 'No Guideline' - Raw water enteric protozoa concentrations are used to determine the treatment goal

Treatment Goal = Calculated log removals are health based treatment goals for enteric protozoa and viruses as determined by Health Canada

 $^{^{\}rm 2}$ The City of Calgary ceased fluoridation of its drinking water on May 19, 2011.

³ Calculated parameter based on individual analytes